


# Top Labeling Machines

Model:

# PP-610 SERIES

*A fast, simple solution for labeling the tops of products*



Example of top label application.

## ◆ EASY TO USE

The Delta HMI interface makes it easy to use the PP-610 Series Machines. Simple hand wheel adjustments make for quick set-up and fast changeover time keeping the machine online with less downtime.

## ◆ LOW MAINTENANCE

Manufactured to (GMP) standards, the PP-610 Series Machines are made of **#304 stainless steel and anodized aluminum**, and is designed to be used in harsh working environments where other equipment might fail. The Preferred Pack® machine is the right choice for the discriminating buyer.

## ◆ SIMPLE DESIGN

Built into all Preferred Pack® designed labeling machines is a cost effective solution to fast, reliable, pressure-sensitive labeling for trays, boxes, chipboard containers, bags and even caps on bottles.

Model #	Label Placement	Max Label Size	Max Pkg Size
PP-610	Top	5.1"W x infinite L	8.5"W x 7.5"H
PP-610H	Top - Wide Label	8.2"W x infinite L	13.8"W x 7.5"H
PP-610J	Top & Both Sides	8.2"W x infinite L	13.8"W x 7.5"H
PP-610C	Top, Front & Bottom Wrap	5.1"W x infinite L	9.8"W x 7.5"H
PP-610W	Top, Wide Label - Wide Conveyor	8.6"W x infinite L	20"W x 7.5"H
PP-610VBF	Top Bag, Vacuum Belt Conveyor w/Friction	5.1"W x infinite L	12" W x 17" L

## PERFORMANCE

- The preset counter means the machine automatically stops once the preset quantity of products has been labeled.
- The product counter lets you precisely track the amount of labels applied at any point during the production run.
- The PP-610 Series Machines feature a Delta PLC Touchscreen HMI control system that maintains default settings and memory locations.

## EFFICIENT

- The digital label adjust position allows the operator to set the desired position of the label to the package with just one touch.
- The missing label feature locates missing labels on the roll stock, and shuts the machine down if one is found. This ensures each product is labeled correctly.

## ADJUSTABLE

- The standard Delta Touchscreen HMI with 83 program memory and label sensors can be easily adjusted for a wide variety of labeling applications. With the digital position setting, your labels are placed accurately on the product every time.
- The PP-610 Series Machines offer an optional hot-stamp ribbon printer which can easily be installed should the need arise. This optional feature lets printers work in sync with the labeler to ensure accurate code placement.

- Designed to be used for in-line automatic or semi-automatic applications.

## SENSIBLE

- The PP-610 Series Machines comes with casters and can conveniently be moved to other production areas, allowing for changes in production or products.
- All labelers are made of **304 stainless steel and anodized aluminum**. This extremely durable metal is specially treated to guard against rusting and other effects from harsher environments.
- Height-adjustable conveyor belt makes it easy to match production line heights.

## PRECISE

- The PP-610 Series Machines' stepper motor label position setting allows the operator to accurately set the label position, ensuring fast, accurate label delivery.
- The PP-610 Series Machines' controls are all in sync, making sure that all components run at the same speed.

## COMPLIANT

- All Preferred Pack® labelers are manufactured in compliance with Good Manufacturing Practice (GMP) standards.
- On/Off switch and Emergency Stop Switch are prominently located on the main control panel.



Example of top label application.

	PP-610	PP-610H, PP610J & PP-610U
<b>Dispensing Speed</b>	80'/min (25m/min)	
<b>Conveyor Speed</b>	80'/min (25m/min)	
<b>Dimensions</b>	50.5" x 29.5" x 62"	
<b>Maximum Label Size</b>	5.1" W (130mm) x Infinite Length	8.2" W (208mm) x Infinite Length
<b>Container Size</b>	8.5"W x 7.5"H	13.8"W x 7.5"H
<b>Power</b>	110 VAC, 60 HZ, 1 Phase	
<b>Conveyor Belt Width</b>	7.5" (190mm)	13.5" (343mm)
<b>Net Weight</b>	265 lbs	